

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	MAP	
		Racer	MSRP
Filters			
11-IF0606-D	sūsa In-line pump pre-filter, AN06-AN06, 150µ	54.25	62.00
11-IF0808-D	sūsa In-line pump pre-filter, AN08-AN08, 150µ	54.25	62.00
11-IF1010-D	sūsa In-line pump pre-filter, AN10-AN10, 150µ	54.25	62.00
11-IF1212-D	sūsa In-line pump pre-filter, AN12-AN12, 150µ	59.50	68.00
11-SKIF612	sūsa150µ replacement element service kit for IF filters	17.50	20.00
11-RU77-13	sūsa HyperFlow lifetime oil filter, 13/16-16	135.63	155.00
11-RU77-20	sūsa HyperFlow lifetime oil filter, M20x1.5	135.63	155.00
11-RU77-22	sūsa HyperFlow lifetime oil filter, M22x1.5	135.63	155.00
11-RU77-34	sūsa HyperFlow lifetime oil filter, 3/4-16	135.63	155.00
11-SKRU77	Gasket Service Kit for sūsa HyperFlow lifetime oil filters	6.56	7.50
11-UF06	sūsa AN06 in-line filter screen, 250µ	25.81	29.50
11-UF08	sūsa AN08 in-line filter screen, 250µ	25.81	29.50
11-UF10	sūsa AN10 in-line filter screen, 250µ	27.13	31.00
11-UF12	sūsa AN12 in-line filter screen, 250µ	28.88	33.00
11-UF16	sūsa AN16 in-line filter screen, 250µ	34.78	39.75
Fluid Pumps			
17-311-00-0005	sūsa mini gear oil circulation pump, 12V, no connections, no filter	297.50	340.00
17-311-06-0005	sūsa mini gear oil circulation pump, 12V, AN06 connections, no filter	323.75	370.00
17-311-06-IF05	sūsa mini gear oil circulation pump, 12V, AN06 connections, 150µ filter	350.00	400.00
17-311-08-0005	sūsa mini gear oil circulation pump, 12V, AN08 connections, no filter	323.75	370.00
17-311-08-IF05	sūsa mini gear oil circulation pump, 12V, AN08 connections, 150µ filter	350.00	400.00
17-311-10-0005	sūsa mini gear oil circulation pump, 12V, AN10 connections, no filter	328.13	375.00
17-311-10-IF05	sūsa mini gear oil circulation pump, 12V, AN10 connections, 150µ filter	354.38	405.00
Oil Filter Adapters			
18-RFHU13-22	sūsa remote oil filter stand, 13/16-16 nipple, M22 ports	96.25	110.00
18-RFHU20-22	sūsa remote oil filter stand, M20 x 1.5 nipple, M22 ports	96.25	110.00
18-RFHU22-22	sūsa remote oil filter stand, M22 x 1.5 nipple, M22 ports	96.25	110.00
18-RFHU34-22	sūsa remote oil filter stand, 3/4-16 nipple, M22 ports	96.25	110.00
18-TOP13-22	sūsa oil filter take-off plate for remote filter head, 13/16-16, M22 ports	33.25	38.00
18-TOP20-22	sūsa oil filter take-off plate for remote filter head, M20x1.5, M22 ports	33.25	38.00
18-TOP22-22	sūsa oil filter take-off plate for remote filter head, M22x1.5, M22 ports	33.25	38.00
18-TOP34-22	sūsa oil filter take-off plate for remote filter head, 3/4-16, M22 ports	33.25	38.00
18-TOP1001-22	sūsa oil filter take-off plate for BMW, M22 ports	36.75	42.00
18-TOTLS-22	sūsa oil filter take-off plate for LS motors, M22 ports, 180°F t-stat	166.25	190.00
19-SPT76-20-180-22	sūsa sandwich filter adptr M20x1.5 filter thrd, ProLine ports, 180°F t-stat	96.25	110.00
19-SPT76-22-180-22	sūsa sandwich filter adptr M22x1.5 filter thrd, ProLine ports, 180°F t-stat	96.25	110.00
19-SPT76-34-180-22	sūsa sandwich filter adptr 3/4-16 filter thrd, ProLine ports, 180°F t-stat	96.25	110.00
19-GSK-SPT76	Gasket Service Kit for sūsa sandwich filter adapter	6.56	7.50
SK-TOV180-22	sūsa thermostatic oil valve, 180°F, M22x1.5 male thread	65.63	75.00
Fluids			
20-042368	Setrab Assembly Lubricant	0.79	0.90
O-rings			
20-568019-V-10	O-ring for Setrab ProLine M22 fittings, Viton, 10-pack	3.33	3.80
High-Performance Oil Hose			
21-LWN06-3	sūsa Lightweight Fiber Braided Hose, -06, 3/ft / use with RU fittings	24.28	27.75
21-LWN06-6	sūsa Lightweight Fiber Braided Hose, -06, 6/ft / use with RU fittings	47.35	54.11
21-LWN06-12	sūsa Lightweight Fiber Braided Hose, -06, 12/ft / use with RU fittings	87.41	99.90
21-LWN06-24	sūsa Lightweight Fiber Braided Hose, -06, 24/ft / use with RU fittings	165.11	188.70
21-LWN06-48	sūsa Lightweight Fiber Braided Hose, -06, 48/ft / use with RU fittings	310.80	355.20
21-LWN06-B	sūsa Lightweight Fiber Braided Hose, -06, BULK, 60ft minimum	6.07	6.94
21-LWN08-3	sūsa Lightweight Fiber Braided Hose, -08, 3/ft / use with RU fittings	28.80	32.91
21-LWN08-6	sūsa Lightweight Fiber Braided Hose, -08, 6/ft / use with RU fittings	56.15	64.17
21-LWN08-12	sūsa Lightweight Fiber Braided Hose, -08, 12/ft / use with RU fittings	103.67	118.48
21-LWN08-24	sūsa Lightweight Fiber Braided Hose, -08, 24/ft / use with RU fittings	195.82	223.79
21-LWN08-48	sūsa Lightweight Fiber Braided Hose, -08, 48/ft / use with RU fittings	368.59	421.25
21-LWN08-B	sūsa Lightweight Fiber Braided Hose, -08, BULK, 60ft minimum	7.20	8.23
21-LWN10-3	sūsa Lightweight Fiber Braided Hose, -10, 3/ft / use with RU fittings	34.10	38.97
21-LWN10-6	sūsa Lightweight Fiber Braided Hose, -10, 6/ft / use with RU fittings	66.49	75.99
21-LWN10-12	sūsa Lightweight Fiber Braided Hose, -10, 12/ft / use with RU fittings	122.75	140.29
21-LWN10-24	sūsa Lightweight Fiber Braided Hose, -10, 24/ft / use with RU fittings	231.88	265.00
21-LWN10-48	sūsa Lightweight Fiber Braided Hose, -10, 48/ft / use with RU fittings	436.47	498.82
21-LWN10-B	sūsa Lightweight Fiber Braided Hose, -10, BULK, 60ft minimum	8.52	9.74
21-LWN12-3	sūsa Lightweight Fiber Braided Hose, -12, 3/ft / use with RU fittings	42.32	48.36
21-LWN12-6	sūsa Lightweight Fiber Braided Hose, -12, 6/ft / use with RU fittings	82.51	94.30
21-LWN12-12	sūsa Lightweight Fiber Braided Hose, -12, 12/ft / use with RU fittings	152.34	174.10
21-LWN12-24	sūsa Lightweight Fiber Braided Hose, -12, 24/ft / use with RU fittings	287.74	328.85
21-LWN12-48	sūsa Lightweight Fiber Braided Hose, -12, 48/ft / use with RU fittings	541.63	619.01
21-LWN12-B	sūsa Lightweight Fiber Braided Hose, -12, BULK, 60ft minimum	10.58	12.09
21-LWN16-3	sūsa Lightweight Fiber Braided Hose, -16, 3/ft / use with RU fittings	54.34	62.10
21-LWN16-6	sūsa Lightweight Fiber Braided Hose, -16, 6/ft / use with RU fittings	105.96	121.10
21-LWN16-12	sūsa Lightweight Fiber Braided Hose, -16, 12/ft / use with RU fittings	195.62	223.56
21-LWN16-24	sūsa Lightweight Fiber Braided Hose, -16, 24/ft / use with RU fittings	369.50	422.28

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	Racer	MSRP
21-LWN16-48	sūsa Lightweight Fiber Braided Hose, -16, 48/ft / use with RU fittings	695.52	794.88
21-LWN16-B	sūsa Lightweight Fiber Braided Hose, -12, BULK, 60ft minimum	13.59	15.53
21-PLN06-3	sūsa Push Lite Hose, -06, 3/ft / use with PL fittings	14.73	16.83
21-PLN06-6	sūsa Push Lite Hose, -06, 6/ft / use with PL fittings	28.72	32.82
21-PLN06-12	sūsa Push Lite Hose, -06, 12/ft / use with PL fittings	53.02	60.59
21-PLN06-24	sūsa Push Lite Hose, -06, 24/ft / use with PL fittings	100.14	114.44
21-PLN06-48	sūsa Push Lite Hose, -06, 48/ft / use with PL fittings	188.51	215.44
21-PLN06-B	sūsa Push Lite Hose, -06, BULK, 60 ft minimum	3.68	4.21
21-PLN08-3	sūsa Push Lite Hose, -08, 3/ft / use with PL fittings	16.49	18.84
21-PLN08-6	sūsa Push Lite Hose, -08, 6/ft / use with PL fittings	32.15	36.74
21-PLN08-12	sūsa Push Lite Hose, -08, 12/ft / use with PL fittings	59.34	67.82
21-PLN08-24	sūsa Push Lite Hose, -08, 24/ft / use with PL fittings	112.10	128.11
21-PLN08-48	sūsa Push Lite Hose, -08, 48/ft / use with PL fittings	211.01	241.15
21-PLN08-B	sūsa Push Lite Hose, -08, BULK, 60 ft minimum	4.12	4.71
21-PLN10-3	sūsa Push Lite Hose, -10, 3/ft / use with PL fittings	18.85	21.54
21-PLN10-6	sūsa Push Lite Hose, -10, 6/ft / use with PL fittings	36.75	42.00
21-PLN10-12	sūsa Push Lite Hose, -10, 12/ft / use with PL fittings	67.85	77.54
21-PLN10-24	sūsa Push Lite Hose, -10, 24/ft / use with PL fittings	128.16	146.47
21-PLN10-48	sūsa Push Lite Hose, -10, 48/ft / use with PL fittings	241.25	275.71
21-PLN10-B	sūsa Push Lite Hose, -10, BULK, 60 ft minimum	4.72	5.39
21-PLN12-3	sūsa Push Lite Hose, -12, 3/ft / use with PL fittings	27.51	31.44
21-PLN12-6	sūsa Push Lite Hose, -12, 6/ft / use with PL fittings	53.65	61.31
21-PLN12-12	sūsa Push Lite Hose, -12, 12/ft / use with PL fittings	99.03	113.18
21-PLN12-24	sūsa Push Lite Hose, -12, 24/ft / use with PL fittings	187.07	213.79
21-PLN12-48	sūsa Push Lite Hose, -12, 48/ft / use with PL fittings	352.13	402.43
21-PLN12-B	sūsa Push Lite Hose, -12, BULK, 60 ft minimum	6.88	7.86
21-SSN06-3	sūsa Stainless Steel Braided Hose, -06, 3/ft / use with RU fittings	18.93	21.63
21-SSN06-6	sūsa Stainless Steel Braided Hose, -06, 6/ft / use with RU fittings	36.91	42.18
21-SSN06-12	sūsa Stainless Steel Braided Hose, -06, 12/ft / use with RU fittings	68.14	77.87
21-SSN06-24	sūsa Stainless Steel Braided Hose, -06, 24/ft / use with RU fittings	128.70	147.08
21-SSN06-48	sūsa Stainless Steel Braided Hose, -06, 48/ft / use with RU fittings	242.25	276.86
21-SSN06-B	sūsa Stainless Steel Braided Hose, -06, BULK, 60ft minimum	4.73	5.41
21-SSN08-3	sūsa Stainless Steel Braided Hose, -08, 3/ft / use with RU fittings	23.52	26.88
21-SSN08-6	sūsa Stainless Steel Braided Hose, -08, 6/ft / use with RU fittings	45.87	52.42
21-SSN08-12	sūsa Stainless Steel Braided Hose, -08, 12/ft / use with RU fittings	84.67	96.77
21-SSN08-24	sūsa Stainless Steel Braided Hose, -08, 24/ft / use with RU fittings	159.93	182.78
21-SSN08-48	sūsa Stainless Steel Braided Hose, -08, 48/ft / use with RU fittings	301.05	344.06
21-SSN08-B	sūsa Stainless Steel Braided Hose, -08, BULK, 60ft minimum	5.88	6.72
21-SSN10-3	sūsa Stainless Steel Braided Hose, -10, 3/ft / use with RU fittings	27.72	31.68
21-SSN10-6	sūsa Stainless Steel Braided Hose, -10, 6/ft / use with RU fittings	54.06	61.78
21-SSN10-12	sūsa Stainless Steel Braided Hose, -10, 12/ft / use with RU fittings	99.79	114.05
21-SSN10-24	sūsa Stainless Steel Braided Hose, -10, 24/ft / use with RU fittings	188.49	215.42
21-SSN10-48	sūsa Stainless Steel Braided Hose, -10, 48/ft / use with RU fittings	354.81	405.50
21-SSN10-B	sūsa Stainless Steel Braided Hose, -10, BULK, 60ft minimum	6.93	7.92
21-SSN12-3	sūsa Stainless Steel Braided Hose, -12, 3/ft / use with RU fittings	34.73	39.69
21-SSN12-6	sūsa Stainless Steel Braided Hose, -12, 6/ft / use with RU fittings	67.73	77.40
21-SSN12-12	sūsa Stainless Steel Braided Hose, -12, 12/ft / use with RU fittings	125.02	142.88
21-SSN12-24	sūsa Stainless Steel Braided Hose, -12, 24/ft / use with RU fittings	236.15	269.89
21-SSN12-48	sūsa Stainless Steel Braided Hose, -12, 48/ft / use with RU fittings	444.53	508.03
21-SSN12-B	sūsa Stainless Steel Braided Hose, -12, BULK, 60ft minimum	8.68	9.92
21-SSN16-3	sūsa Stainless Steel Braided Hose, -16, 3/ft / use with RU fittings	45.47	51.96
21-SSN16-6	sūsa Stainless Steel Braided Hose, -16, 6/ft / use with RU fittings	88.66	101.32
21-SSN16-12	sūsa Stainless Steel Braided Hose, -16, 12/ft / use with RU fittings	163.68	187.06
21-SSN16-24	sūsa Stainless Steel Braided Hose, -16, 24/ft / use with RU fittings	309.16	353.33
21-SSN16-48	sūsa Stainless Steel Braided Hose, -16, 48/ft / use with RU fittings	581.95	665.09
21-SSN16-B	sūsa Stainless Steel Braided Hose, -16, BULK, 60ft minimum	11.37	12.99
Hose Mounting Clamps, Cushioned			
21-PC06	sūsa cushioned hose mounting clamp, -06	2.63	3.00
21-PC08	sūsa cushioned hose mounting clamp, -08	2.84	3.25
21-PC10	sūsa cushioned hose mounting clamp, -10	2.84	3.25
21-PC12	sūsa cushioned hose mounting clamp, -12	3.06	3.50
InLine Port-Adapters			
22-AN06AN06-NPT18T	sūsa AN06-AN06 swivel, NPT port	20.13	23.00
22-AN06MAN06M-NPT18T	sūsa AN06 male-to-male flare union, 00°, NPT1/8 port	7.88	9.00
22-AN08AN08-NPT18T	sūsa AN08-AN08 swivel, NPT port	21.00	24.00
22-AN08MAN08M-NPT18T	sūsa AN08 male-to-male flare union, 00°, NPT1/8 port	9.63	11.00
22-AN10AN10-NPT18T	sūsa AN10-AN10 swivel, NPT port	22.31	25.50
22-AN10MAN10M-NPT18T	sūsa AN10 male-to-male flare union, 00°, NPT1/8 port	11.38	13.00
22-AN12AN12-NPT18T	sūsa AN12-AN12 swivel, NPT port	23.19	26.50
22-AN12MAN12M-NPT18T	sūsa AN12 male-to-male flare union, 00°, NPT1/8 port	16.63	19.00
22-AN16AN16-NPT18T	sūsa AN16-AN16 swivel, NPT port	29.75	34.00
22-AN16MAN16M-NPT18T	sūsa AN16 male-to-male flare union, 00°, NPT1/8 port	18.38	21.00
22-PO3838-NPT18T	sūsa in-line gauge adapter, 3/8" barbs, 1/8" NPT port	18.81	21.50
AN Hose-Ends			
22-AN06PL06-00	sūsa AN06-06 pushlock 00°	6.34	7.25
22-AN06PL06-30	sūsa AN06-06 pushlock 30°	13.56	15.50

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	Racer	MSRP
22-AN06PL06-45	sūsa AN06-06 pushlock 45°	13.56	15.50
22-AN06PL06-60	sūsa AN06-06 pushlock 60°	13.56	15.50
22-AN06PL06-90	sūsa AN06-06 pushlock 90°	13.56	15.50
22-AN06PL06-120	sūsa AN06-06 pushlock 120°	15.31	17.50
22-AN06PL06-150	sūsa AN06-06 pushlock 150°	15.31	17.50
22-AN06PL06-180	sūsa AN06-06 pushlock 180°	15.31	17.50
22-AN06RU06-00	sūsa AN06-06 reusable 00°	6.78	7.75
22-AN06RU06-30	sūsa AN06-06 reusable 30°	14.44	16.50
22-AN06RU06-45	sūsa AN06-06 reusable 45°	14.44	16.50
22-AN06RU06-60	sūsa AN06-06 reusable 60°	14.44	16.50
22-AN06RU06-90	sūsa AN06-06 reusable 90°	14.44	16.50
22-AN06RU06-120	sūsa AN06-06 reusable 120°	16.19	18.50
22-AN06RU06-150	sūsa AN06-06 reusable 150°	16.19	18.50
22-AN06RU06-180	sūsa AN06-06 reusable 180°	16.19	18.50
22-AN08PL08-00	sūsa AN08-08 pushlock 00°	6.78	7.75
22-AN08PL08-30	sūsa AN08-08 pushlock 30°	16.19	18.50
22-AN08PL08-45	sūsa AN08-08 pushlock 45°	16.19	18.50
22-AN08PL08-60	sūsa AN08-08 pushlock 60°	16.19	18.50
22-AN08PL08-90	sūsa AN08-08 pushlock 90°	16.19	18.50
22-AN08PL08-120	sūsa AN08-08 pushlock 120°	17.50	20.00
22-AN08PL08-150	sūsa AN08-08 pushlock 150°	17.50	20.00
22-AN08PL08-180	sūsa AN08-08 pushlock 180°	17.50	20.00
22-AN08RU08-00	sūsa AN08-08 reusable 00°	7.66	8.75
22-AN08RU08-30	sūsa AN08-08 reusable 30°	17.50	20.00
22-AN08RU08-45	sūsa AN08-08 reusable 45°	17.50	20.00
22-AN08RU08-60	sūsa AN08-08 reusable 60°	17.50	20.00
22-AN08RU08-90	sūsa AN08-08 reusable 90°	17.50	20.00
22-AN08RU08-120	sūsa AN08-08 reusable 120°	20.78	23.75
22-AN08RU08-150	sūsa AN08-08 reusable 150°	20.78	23.75
22-AN08RU08-180	sūsa AN08-08 reusable 180°	20.78	23.75
22-AN10PL10-00	sūsa AN10-10 pushlock 00°	7.66	8.75
22-AN10PL10-30	sūsa AN10-10 pushlock 30°	17.94	20.50
22-AN10PL10-45	sūsa AN10-10 pushlock 45°	17.94	20.50
22-AN10PL10-60	sūsa AN10-10 pushlock 60°	17.94	20.50
22-AN10PL10-90	sūsa AN10-10 pushlock 90°	17.94	20.50
22-AN10PL10-120	sūsa AN10-10 pushlock 120°	19.69	22.50
22-AN10PL10-150	sūsa AN10-10 pushlock 150°	19.69	22.50
22-AN10PL10-180	sūsa AN10-10 pushlock 180°	19.69	22.50
22-AN10RU10-00	sūsa AN10-10 reusable 00°	8.53	9.75
22-AN10RU10-30	sūsa AN10-10 reusable 30°	19.91	22.75
22-AN10RU10-45	sūsa AN10-10 reusable 45°	19.91	22.75
22-AN10RU10-60	sūsa AN10-10 reusable 60°	19.91	22.75
22-AN10RU10-90	sūsa AN10-10 reusable 90°	19.91	22.75
22-AN10RU10-120	sūsa AN10-10 reusable 120°	22.53	25.75
22-AN10RU10-150	sūsa AN10-10 reusable 150°	22.53	25.75
22-AN10RU10-180	sūsa AN10-10 reusable 180°	22.53	25.75
22-AN12PL12-00	sūsa AN12-12 pushlock 00°	10.06	11.50
22-AN12PL12-30	sūsa AN12-12 pushlock 30°	20.78	23.75
22-AN12PL12-45	sūsa AN12-12 pushlock 45°	20.78	23.75
22-AN12PL12-60	sūsa AN12-12 pushlock 60°	20.78	23.75
22-AN12PL12-90	sūsa AN12-12 pushlock 90°	20.78	23.75
22-AN12PL12-120	sūsa AN12-12 pushlock 120°	23.41	26.75
22-AN12PL12-150	sūsa AN12-12 pushlock 150°	23.41	26.75
22-AN12PL12-180	sūsa AN12-12 pushlock 180°	23.41	26.75
22-AN12RU12-00	sūsa AN12-12 reusable 00°	13.56	15.50
22-AN12RU12-30	sūsa AN12-12 reusable 30°	23.41	26.75
22-AN12RU12-45	sūsa AN12-12 reusable 45°	23.41	26.75
22-AN12RU12-60	sūsa AN12-12 reusable 60°	23.41	26.75
22-AN12RU12-90	sūsa AN12-12 reusable 90°	23.41	26.75
22-AN12RU12-120	sūsa AN12-12 reusable 120°	27.78	31.75
22-AN12RU12-150	sūsa AN12-12 reusable 150°	27.78	31.75
22-AN12RU12-180	sūsa AN12-12 reusable 180°	27.78	31.75
22-AN16RU16-00	sūsa AN16-16 reusable 00°	22.53	25.75
22-AN16RU16-30	sūsa AN16-16 reusable 30°	28.88	33.00
22-AN16RU16-45	sūsa AN16-16 reusable 45°	28.88	33.00
22-AN16RU16-60	sūsa AN16-16 reusable 60°	28.88	33.00
22-AN16RU16-90	sūsa AN16-16 reusable 90°	28.88	33.00
22-AN16RU16-120	sūsa AN16-16 reusable 120°	30.63	35.00
22-AN16RU16-150	sūsa AN16-16 reusable 150°	30.63	35.00
22-AN16RU16-180	sūsa AN16-16 reusable 180°	30.63	35.00
AN Unions & Reducers			
22-AN06FAN06F-00	sūsa AN06 female-female swivel union 00°	10.94	12.50
22-AN06FAN06F-90	sūsa AN06 female-female swivel union 90°	19.69	22.50
22-AN06MAN04M-00	sūsa AN06 male-AN04 male reducer	8.97	10.25
22-AN06MAN05M-00	sūsa AN06 male-AN05 male reducer	8.97	10.25
22-AN06MAN06M-00	sūsa AN06 male-AN06 male flare union	8.97	10.25

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	Racer	MSRP
22-AN08FAN08F-00	sūsa AN08 female-female swivel union 00°	12.69	14.50
22-AN08FAN08F-90	sūsa AN08 female-female swivel union 90°	20.78	23.75
22-AN08FAN06F-00	sūsa AN08 female-AN06 female reducer	10.06	11.50
22-AN08FAN06M-00	sūsa AN08 female-AN06 male reducer	10.06	11.50
22-AN08MAN06M-00	sūsa AN08 male-AN06 male reducer	10.06	11.50
22-AN08MAN08M-00	sūsa AN08 male-AN08 male flare union	10.06	11.50
22-AN10FAN10F-00	sūsa AN10 female-female swivel union 00°	14.00	16.00
22-AN10FAN10F-90	sūsa AN10 female-female swivel union 90°	28.88	33.00
22-AN10FAN08F-00	sūsa AN10 female-AN08 female reducer	10.06	11.50
22-AN10FAN08M-00	sūsa AN10 female-AN08 male reducer	10.06	11.50
22-AN10MAN06M-00	sūsa AN10 male-AN06 male reducer	10.06	11.50
22-AN10MAN08M-00	sūsa AN10 male-AN08 male reducer	10.06	11.50
22-AN10MAN10M-00	sūsa AN10 male-AN10 male flare union	10.06	11.50
22-AN12FAN12F-00	sūsa AN12 female-female swivel union 00°	19.03	21.75
22-AN12FAN12F-90	sūsa AN12 female-female swivel union 90°	37.84	43.25
22-AN12FAN10F-00	sūsa AN12 female-AN10 female reducer	10.94	12.50
22-AN12FAN10M-00	sūsa AN12 female-AN10 male reducer	12.69	14.50
22-AN12MAN08M-00	sūsa AN12 male-AN08 male reducer	10.94	12.50
22-AN12MAN10M-00	sūsa AN12 male-AN10 male reducer	10.94	12.50
22-AN12MAN12M-00	sūsa AN12 male-AN12 male flare union	10.94	12.50
22-AN16FAN12F-00	sūsa AN16 female-AN12 female reducer	23.41	26.75
22-AN16FAN12M-00	sūsa AN16 female-AN12 male reducer	16.19	18.50
22-AN16FAN16F-00	sūsa AN16 female-female swivel union 00°	23.41	26.75
22-AN16MAN10M-00	sūsa AN16 male-AN10 male reducer	12.69	14.50
22-AN16MAN12M-00	sūsa AN16 male-AN12 male reducer	12.69	14.50
22-AN16MAN16M-00	sūsa AN16 male-AN16 male flare union	12.69	14.50
AN Fitting Caps			
22-AN06	sūsa AN06 fitting cap	4.59	5.25
22-AN08	sūsa AN08 fitting cap	4.59	5.25
22-AN10	sūsa AN10 fitting cap	8.97	10.25
22-AN12	sūsa AN12 fitting cap	10.94	12.50
22-AN16	sūsa AN16 fitting cap	13.56	15.50
BSP Adapters			
22-BSP38AN06-00	sūsa 3/8" BSP male, AN06 male, 00°	8.97	10.25
22-BSP38AN08-00	sūsa 3/8" BSP male, AN08 male, 00°	10.06	11.50
22-BSP38AN10-00	sūsa 3/8" BSP male, AN10 male, 00°	10.06	11.50
22-BSP12AN06-00	sūsa 1/2" BSP male, AN06 male, 00°	8.97	10.25
22-BSP12AN08-00	sūsa 1/2" BSP male, AN08 male, 00°	10.06	11.50
22-BSP12AN10-00	sūsa 1/2" BSP male, AN10 male, 00°	10.06	11.50
22-BSP12AN12-00	sūsa 1/2" BSP male, AN12 male, 00°	10.94	12.50
Bushings			
22-BSP12M16	sūsa bushing, 1/2" BSPP male, M16 female	7.22	8.25
22-M12NPT18	sūsa bushing, M12 male, 1/8" NPT female	6.34	7.25
22-M14NPT18	sūsa bushing, M14 male, 1/8" NPT female	7.22	8.25
22-M16M12	sūsa bushing, M16 male, M12 female	8.97	10.25
22-M16NPT18	sūsa bushing, M16 male, 1/8" NPT female	8.97	10.25
22-M22M14	sūsa bushing, M22 male, M14 female	8.97	10.25
22-M22M16	sūsa bushing, M22 male, M16 female	8.97	10.25
22-M22M18	sūsa bushing, M22 male, M18 female	10.06	11.50
22-M22NPT18	sūsa bushing, M22 male, 1/8" NPT female	8.97	10.25
22-NPSM12M16	sūsa bushing, 1/2" NPSM male, M16 female	7.22	8.25
22-NPT14NPT18	sūsa bushing, 1/4" NPT male, 1/8" NPT female	8.97	10.25
22-NPT38NPT18	sūsa bushing, 3/8" NPT male, 1/8" NPT female	8.97	10.25
22-NPT38NPT14	sūsa bushing, 3/8" NPT male, 1/4" NPT female	8.97	10.25
Bulkhead Fitting Assemblies			
22-AN06BHAN06-00	sūsa Bulk Head assembly, AN06-AN06, 00°, includes nut	7.66	8.75
22-AN06BHAN06-45	sūsa Bulk Head assembly, AN06-AN06, 45°, includes nut	12.91	14.75
22-AN06BHAN06-90	sūsa Bulk Head assembly, AN06-AN06, 90°, includes nut	12.91	14.75
22-AN08BHAN08-00	sūsa Bulk Head assembly, AN08-AN08, 00°, includes nut	8.53	9.75
22-AN08BHAN08-45	sūsa Bulk Head assembly, AN08-AN08, 45°, includes nut	17.50	20.00
22-AN08BHAN08-90	sūsa Bulk Head assembly, AN08-AN08, 90°, includes nut	17.50	20.00
22-AN10BHAN10-00	sūsa Bulk Head assembly, AN10-AN10, 00°, includes nut	14.00	16.00
22-AN10BHAN10-45	sūsa Bulk Head assembly, AN10-AN10, 45°, includes nut	23.63	27.00
22-AN10BHAN10-90	sūsa Bulk Head assembly, AN10-AN10, 90°, includes nut	23.63	27.00
22-AN12BHAN12-00	sūsa Bulk Head assembly, AN12-AN12, 00°, includes nut	18.38	21.00
22-AN12BHAN12-45	sūsa Bulk Head assembly, AN12-AN12, 45°, includes nut	31.94	36.50
22-AN12BHAN12-90	sūsa Bulk Head assembly, AN12-AN12, 90°, includes nut	31.94	36.50
22-AN16BHAN16-00	sūsa Bulk Head assembly, AN16-AN16, 00°, includes nut	21.66	24.75
22-AN16BHAN16-45	sūsa Bulk Head assembly, AN16-AN16, 45°, includes nut	44.84	51.25
22-AN16BHAN16-90	sūsa Bulk Head assembly, AN16-AN16, 90°, includes nut	44.84	51.25
ProLine Wiggins Adapters			
22-M22WGN08-00	sūsa 22mm-Wiggins, single o-ring, -08, 00°	13.56	15.50
22-M22WGN10-00	sūsa 22mm-Wiggins, single o-ring, -10, 00°	13.56	15.50
22-M22WGN12-00	sūsa 22mm-Wiggins, single o-ring, -12, 00°	14.00	16.00
22-M22WGN16-00	sūsa 22mm-Wiggins, single o-ring, -16, 00°	14.00	16.00
Hard Line Tube Adapter Assemblies			

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	Racer	MSRP
22-TN05	sūsa 5/16" tube nut & sleeve, AN06 female, 00°	4.38	5.00
22-TN06	sūsa 3/8" tube nut & sleeve, AN06 female, 00°	4.38	5.00
22-TN08	sūsa 1/2" tube nut & sleeve, AN08 female, 00°	5.25	6.00
22-TN10	sūsa 5/8" tube nut & sleeve, AN10 female, 00°	6.13	7.00
22-TN12	sūsa 3/4" tube nut & sleeve, AN12 female, 00°	7.88	9.00
22-TU31AN06-00	sūsa 5/16" tube adapter assy, AN06 male, 00°	11.38	13.00
22-TU31AN06F-00	sūsa 5/16" tube adapter assy, AN06 female, 00°	11.38	13.00
22-TU38AN06-00	sūsa 3/8" tube adapter assy, AN06 male, 00°	11.38	13.00
22-TU38AN06F-00	sūsa 3/8" tube adapter assy, AN06 female, 00°	11.38	13.00
22-TU12AN08-00	sūsa 1/2" tube adapter assy, AN08 male, 00°	13.13	15.00
22-TU12AN08F-00	sūsa 1/2" tube adapter assy, AN08 female, 00°	13.13	15.00
22-TU58AN10-00	sūsa 5/8" tube adapter assy, AN10 male, 00°	14.88	17.00
22-TU58AN10F-00	sūsa 5/8" tube adapter assy, AN10 female, 00°	14.88	17.00
22-TU34AN12-00	sūsa 3/4" tube adapter assy, AN12 male, 00°	16.63	19.00
22-TU34AN12F-00	sūsa 3/4" tube adapter assy, AN12 female, 00°	16.63	19.00
ORB Adapter Fittings			
22-ORB06AN06-00	sūsa adapter ORB06 male, AN06 male, 00°	8.97	10.25
22-ORB06AN08-00	sūsa adapter ORB06 male, AN08 male, 00°	8.97	10.25
22-ORB08AN06-00	sūsa adapter ORB08 male, AN06 male, 00°	8.97	10.25
22-ORB08AN08-00	sūsa adapter ORB08 male, AN08 male, 00°	8.97	10.25
22-ORB08AN10-00	sūsa adapter ORB08 male, AN10 male, 00°	8.97	10.25
22-ORB10AN06-00	sūsa adapter ORB10 male, AN06 male, 00°	10.06	11.50
22-ORB10AN08-00	sūsa adapter ORB10 male, AN08 male, 00°	10.06	11.50
22-ORB10AN10-00	sūsa adapter ORB10 male, AN10 male, 00°	10.06	11.50
22-ORB10AN12-00	sūsa adapter ORB10 male, AN12 male, 00°	10.94	12.50
22-ORB12AN08-00	sūsa adapter ORB12 male, AN08 male, 00°	10.94	12.50
22-ORB12AN10-00	sūsa adapter ORB12 male, AN10 male, 00°	10.94	12.50
22-ORB12AN12-00	sūsa adapter ORB12 male, AN12 male, 00°	10.94	12.50
ORB Port Plugs			
22-ORB06	sūsa ORB06 port plug	4.59	5.25
22-ORB08	sūsa ORB08 port plug	5.03	5.75
22-ORB10	sūsa ORB10 port plug	5.47	6.25
22-ORB12	sūsa ORB12 port plug	10.72	12.25
Metric Adapter Fittings			
22-M14AN06-00	sūsa metric adapter M14 male, AN06 male, 00°	8.97	10.25
22-M16AN06-00	sūsa metric adapter M16 male, AN06 male, 00°	8.97	10.25
22-M16AN08-00	sūsa metric adapter M16 male, AN08 male, 00°	8.97	10.25
22-M18AN06-00	sūsa metric adapter M18 male, AN06 male, 00°	8.97	10.25
22-M18AN08-00	sūsa metric adapter M18 male, AN08 male, 00°	8.97	10.25
22-M18AN10-00	sūsa metric adapter M18 male, AN10 male, 00°	10.06	11.50
22-M20AN08-00	sūsa metric adapter M20 male, AN08 male, 00°	10.06	11.50
22-M20AN10-00	sūsa metric adapter M20 male, AN10 male, 00°	10.06	11.50
22-M20AN12-00	sūsa metric adapter M20 male, AN12 male, 00°	10.94	12.50
22-M30FAN12M-00	sūsa metric adapter M30 female, AN12 male, 00°	22.53	25.75
22-M30FAN16M-00	sūsa metric adapter M30 female, AN16 male, 00°	27.13	31.00
NPS Adapter Fittings			
22-NPSM14AN06-00	sūsa adapter 1/4" NPSM male, AN06 male, 00°	10.06	11.50
22-NPSM14AN08-00	sūsa adapter 1/4" NPSM male, AN08 male, 00°	10.06	11.50
22-NPSM12AN06-00	sūsa adapter 1/2" NPSM male, AN06 male, 00°	10.06	11.50
22-NPSM12AN08-00	sūsa adapter 1/2" NPSM male, AN08 male, 00°	10.06	11.50
NPT Adapter Fittings			
22-NPT18AN06-00	sūsa adapter 1/8" NPT male, AN06 male, 00°	7.22	8.25
22-NPT14AN06-00	sūsa adapter 1/4" NPT male, AN06 male, 00°	8.09	9.25
22-NPT14AN08-00	sūsa adapter 1/4" NPT male, AN08 male, 00°	8.09	9.25
22-NPT38AN06-00	sūsa adapter 3/8" NPT male, AN06 male, 00°	8.09	9.25
22-NPT38AN08-00	sūsa adapter 3/8" NPT male, AN08 male, 00°	8.97	10.25
22-NPT38AN10-00	sūsa adapter 3/8" NPT male, AN10 male, 00°	10.06	11.50
22-NPT12AN08-00	sūsa adapter 1/2" NPT male, AN08 male, 00°	8.97	10.25
22-NPT12AN10-00	sūsa adapter 1/2" NPT male, AN10 male, 00°	10.06	11.50
22-NPT12AN12-00	sūsa adapter 1/2" NPT male, AN12 male, 00°	10.94	12.50
22-NPT34AN08-00	sūsa adapter 3/4" NPT male, AN08 male, 00°	18.16	20.75
22-NPT34AN10-00	sūsa adapter 3/4" NPT male, AN10 male, 00°	18.16	20.75
22-NPT34AN12-00	sūsa adapter 3/4" NPT male, AN12 male, 00°	18.16	20.75
22-NPT34AN16-00	sūsa adapter 3/4" NPT male, AN16 male, 00°	18.16	20.75
NPT Pipe Plugs			
22-NPT18	sūsa 1/8" NPT pipe plug	2.19	2.50
22-NPT14	sūsa 1/4" NPT pipe plug	2.41	2.75
22-NPT38	sūsa 3/8" NPT pipe plug	2.63	3.00
22-NPT12	sūsa 1/2" NPT pipe plug	3.50	4.00
22-NPT34	sūsa 3/4" NPT pipe plug	7.88	9.00
Crush Washers			
22-CWM10-A	sūsa Crush Washer, M10, aluminum	0.66	0.75
22-CWM12-A	sūsa Crush Washer, M12, aluminum	0.70	0.80
22-CWM14-A	sūsa Crush Washer, M14, aluminum	0.74	0.85
22-CWM16-A	sūsa Crush Washer, M16, aluminum	0.79	0.90
22-CWM18-A	sūsa Crush Washer, M18, aluminum	0.83	0.95

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	Racer	MSRP
22-CWM20-A	sūsa Crush Washer, M20, aluminum	1.08	1.00
Dowty Seals			
22-DS13/16	Dowty seal for 1/2" BSP adapters	1.09	1.25
22-DS13/16-6	Dowty seal for 1/2" BSP adapters, 6 each	6.13	7.00
22-DS13/16-12	Dowty seal for 1/2" BSP adapters, 12-each	11.59	13.25
22-DSM14	Dowty seal, M14	1.09	1.25
22-DSM14-6	Dowty seal, M14, 6 each	6.13	7.00
22-DSM14-12	Dowty seal, M14, 12 each	11.59	13.25
22-DSM16	Dowty seal, M16	1.09	1.25
22-DSM16-6	Dowty seal, M16, 6 each	6.13	7.00
22-DSM16-12	Dowty seal, M16, 12 each	11.59	13.25
22-DSM18	Dowty seal, M18, 6 each	1.09	1.25
22-DSM18-6	Dowty seal, M18, 6 each	6.13	7.00
22-DSM18-12	Dowty seal, M18, 12 each	11.59	13.25
22-DSM20	Dowty seal, M20	1.09	1.25
22-DSM20-6	Dowty seal, M20, 6 each	6.13	7.00
22-DSM20-12	Dowty seal, M20, 12 each	11.59	13.25
22-DSM22	Dowty seal, M22	1.31	1.50
22-DSM22-6	Dowty seal, M22, 6 each	7.44	8.50
22-DSM22-12	Dowty seal, M22, 12 each	14.00	16.00
22-DSM24	Dowty seal, M24	1.31	1.50
22-DSM24-6	Dowty seal, M24, 6 each	7.44	8.50
22-DSM24-12	Dowty seal, M24, 12 each	14.00	16.00
Hose Separators			
22-HS06-BK	sūsa billet hose separator, AN06, black	8.97	10.25
22-HS06-SI	sūsa billet hose separator, AN06, silver	8.97	10.25
22-HS08-BK	sūsa billet hose separator, AN08, black	8.97	10.25
22-HS08-SI	sūsa billet hose separator, AN08, silver	8.97	10.25
22-HS10-BK	sūsa billet hose separator, AN10, black	10.06	11.50
22-HS10-SI	sūsa billet hose separator, AN10, silver	10.06	11.50
22-HS12-BK	sūsa billet hose separator, AN12, black	10.06	11.50
22-HS12-SI	sūsa billet hose separator, AN12, silver	10.06	11.50
ProLine Direct-Port Adapter Fittings			
22-M22	sūsa M22 plug & o-ring	8.09	9.25
22-M22AN04-SE	sūsa M22-AN04 adapter	8.97	10.25
22-M22AN06-45	sūsa M22-AN06 45°	26.47	30.25
22-M22AN06-90	sūsa M22-AN06 90°	26.47	30.25
22-M22AN06-SE	sūsa M22-AN06 adapter	8.97	10.25
22-M22AN08-45	sūsa M22-AN08 45°	30.19	34.50
22-M22AN08-90	sūsa M22-AN08 90°	30.19	34.50
22-M22AN08-SE	sūsa M22-AN08 adapter	10.06	11.50
22-M22AN10-45	sūsa M22-AN10 45°	33.69	38.50
22-M22AN10-60	sūsa M22-AN10 60°	33.69	38.50
22-M22AN10-90	sūsa M22-AN10 90°	33.69	38.50
22-M22AN10-SE	sūsa M22-AN10 adapter	10.50	12.00
22-M22AN12-45	sūsa M22-AN12 45°	37.19	42.50
22-M22AN12-90	sūsa M22-AN12 90°	37.19	42.50
22-M22AN12-SE	sūsa M22-AN12 adapter	10.94	12.50
22-M22AN16-SE	sūsa M22-AN16 adapter	11.38	13.00
22-M22BJAN06-90	sūsa ProLine banjo fitting, M22-AN06, 90°	49.00	56.00
22-M22BJAN08-90	sūsa ProLine banjo fitting, M22-AN08, 90°	54.25	62.00
22-M22BJAN10-90	sūsa ProLine banjo fitting, M22-AN10, 90°	59.72	68.25
22-M22BJAN12-90	sūsa ProLine banjo fitting, M22-AN12, 90°	64.75	74.00
22-SKBJM22	Service Kit for sūsa ProLine banjo assembly	3.94	4.50
22-M22BSP12-00	sūsa M22-BSP1/2" adapter	10.06	11.50
22-M22BSP34-00	sūsa M22-BSP3/4" adapter	10.94	12.50
22-M22BSP38-00	sūsa M22-BSP3/8" adapter	8.97	10.25
22-M22BSP58-00	sūsa M22-BSP5/8" adapter	10.06	11.50
22-M22M14	sūsa M22-M14 adapter bushing	8.97	10.25
22-M22M16	sūsa M22-M16 adapter bushing	8.97	10.25
22-M22M18	sūsa M22-M18 adapter bushing	10.06	11.50
22-M22M26-SE	sūsa M22-M26 male adapter	13.13	15.00
22-M22M30-SE	sūsa M22-M30 male adapter	14.44	16.50
22-M22PL06-00	sūsa M22-06 pushlock 00°	10.94	12.50
22-M22PL06-45	sūsa M22-06 pushlock 45°	24.72	28.25
22-M22PL06-90	sūsa M22-06 pushlock 90°	24.72	28.25
22-M22PL08-00	sūsa M22-08 pushlock 00°	12.69	14.50
22-M22PL08-45	sūsa M22-08 pushlock 45°	28.00	32.00
22-M22PL08-90	sūsa M22-08 pushlock 90°	28.00	32.00
22-M22PL08-120	sūsa M22-08 pushlock 120°	28.00	32.00
22-M22PL10-00	sūsa M22-10 pushlock 00°	14.44	16.50
22-M22PL10-45	sūsa M22-10 pushlock 45°	30.63	35.00
22-M22PL10-90	sūsa M22-10 pushlock 90°	30.63	35.00
22-M22PL12-00	sūsa M22-12 pushlock 00°	16.19	18.50
22-M22PL12-45	sūsa M22-12 pushlock 45°	33.69	38.50
22-M22PL12-90	sūsa M22-12 pushlock 90°	33.69	38.50

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	Racer	MSRP
22-M22RU06-00	sūsa M22-06 reusable 00°	16.19	18.50
22-M22RU06-45	sūsa M22-06 reusable 45°	25.38	29.00
22-M22RU06-90	sūsa M22-06 reusable 90°	25.38	29.00
22-M22RU08-00	sūsa M22-08 reusable 00°	17.94	20.50
22-M22RU08-45	sūsa M22-08 reusable 45°	28.88	33.00
22-M22RU08-90	sūsa M22-08 reusable 90°	28.88	33.00
22-M22RU10-00	sūsa M22-10 reusable 00°	19.91	22.75
22-M22RU10-45	sūsa M22-10 reusable 45°	31.94	36.50
22-M22RU10-90	sūsa M22-10 reusable 90°	31.94	36.50
22-M22RU12-00	sūsa M22-12 reusable 00°	22.97	26.25
22-M22RU12-45	sūsa M22-12 reusable 45°	36.31	41.50
22-M22RU12-90	sūsa M22-12 reusable 90°	36.31	41.50
ProLine Mounting Bracket Sets			
23-1002	sūsa 1-series mounting bracket set	32.38	37.00
23-6002	sūsa 6-series mounting bracket set	39.38	45.00
23-9002	sūsa 9-series mounting bracket set	45.06	51.50
AN InLine Thermal Switch Assemblies			
31-TS180-06	sūsa AN6 in-line T-switch 180°F	39.38	45.00
31-TS180-06MM	sūsa AN06 male-AN06 male, in-line T-switch 180°F	32.38	37.00
31-TS180-08	sūsa AN8 in-line T-switch 180°F	39.38	45.00
31-TS180-08MM	sūsa AN08 male-AN08 male, in-line T-switch 180°F	32.38	37.00
31-TS180-10	sūsa AN10 in-line T-switch 180°F	39.38	45.00
31-TS180-10MM	sūsa AN10 male-AN10 male, in-line T-switch 180°F	32.38	37.00
31-TS180-12	sūsa AN12 in-line T-switch 180°F	42.00	48.00
31-TS180-12MM	sūsa AN12 male-AN12 male, in-line T-switch 180°F	34.13	39.00
31-TS180-16	sūsa AN16 in-line T-switch 200°F	49.44	56.50
31-TS180-16MM	sūsa AN16 male-AN16 male, in-line T-switch 180°F	39.38	45.00
31-TS190-06	sūsa AN6 in-line T-switch 190°F	39.38	45.00
31-TS190-06MM	sūsa AN06 male-AN06 male, in-line T-switch 190°F	32.38	37.00
31-TS190-08	sūsa AN8 in-line T-switch 190°F	39.38	45.00
31-TS190-08MM	sūsa AN08 male-AN08 male, in-line T-switch 190°F	32.38	37.00
31-TS190-10	sūsa AN10 in-line T-switch 190°F	39.38	45.00
31-TS190-10MM	sūsa AN10 male-AN10 male, in-line T-switch 190°F	32.38	37.00
31-TS190-12	sūsa AN12 in-line T-switch 190°F	42.00	48.00
31-TS190-12MM	sūsa AN12 male-AN12 male, in-line T-switch 190°F	34.13	39.00
31-TS190-16	sūsa AN16 in-line T-switch 200°F	49.44	56.50
31-TS190-16MM	sūsa AN16 male-AN16 male, in-line T-switch 190°F	39.38	45.00
31-TS200-06	sūsa AN6 in-line T-switch 200°F	39.38	45.00
31-TS200-06MM	sūsa AN06 male-AN06 male, in-line T-switch 200°F	32.38	37.00
31-TS200-08	sūsa AN8 in-line T-switch 200°F	39.38	45.00
31-TS200-08MM	sūsa AN08 male-AN08 male, in-line T-switch 200°F	32.38	37.00
31-TS200-10	sūsa AN10 in-line T-switch 200°F	39.38	45.00
31-TS200-10MM	sūsa AN10 male-AN10 male, in-line T-switch 200°F	32.38	37.00
31-TS200-12	sūsa AN12 in-line T-switch 200°F	42.00	48.00
31-TS200-12MM	sūsa AN12 male-AN12 male, in-line T-switch 200°F	34.13	39.00
31-TS200-16	sūsa AN16 in-line T-switch 200°F	49.44	56.50
31-TS200-16MM	sūsa AN16 male-AN16 male, in-line T-switch 200°F	39.38	45.00
Thermal Switches			
TS180	sūsa switch only, NPT1/8-0.25 qd, 180°F	24.72	28.25
TS180-M12	sūsa switch only, M12x1.5 (includes crush washer) -0.25 qd, 180°F	26.91	30.75
TS190	sūsa switch only, NPT1/8-0.25 qd, 190°F	24.72	28.25
TS190-M12	sūsa switch only, M12x1.5 (includes crush washer) -0.25 qd, 190°F	26.91	30.75
TS200	sūsa switch only, NPT1/8-0.25 qd, 200°F	24.72	28.25
TS200-M12	sūsa switch only, M12x1.5 (includes crush washer) -0.25 qd, 200°F	26.91	30.75
Bosch-style Relays			
31-R30A-5P	sūsa electrical relay, 30A, 5-pin Bosch-style	13.56	15.50
Oil Thermostats			
40-AOT180-22	automatic thermostatic oil cooler by-pass, 180°F, M22 ports	135.63	155.00
STD ProLine Oil Coolers			
50-107-7612	Setrab series 1, 7 row oil cooler, M22 ports	107.63	123.00
50-110-7612	Setrab series 1, 10 row oil cooler, M22 ports	123.81	141.50
50-113-7612	Setrab series 1, 13 row oil cooler, M22 ports	140.00	160.00
50-116-7612	Setrab series 1, 16 row oil cooler, M22 ports	154.44	176.50
50-119-7612	Setrab series 1, 19 row oil cooler, M22 ports	170.63	195.00
50-125-7612	Setrab series 1, 25 row oil cooler, M22 ports	206.50	236.00
50-134-7612	Setrab series 1, 34 row oil cooler, M22 ports	293.13	335.00
50-144-7612	Setrab series 1, 44 row oil cooler, M22 ports	387.63	443.00
50-150-7612	Setrab series 1, 50 row oil cooler, M22 ports	444.50	508.00
50-160-7612	Setrab series 1, 60 row oil cooler, M22 ports	502.25	574.00
50-165-7612	Setrab series 1, 65 row oil cooler, M22 ports	542.50	620.00
50-172-7612	Setrab series 1, 72 row oil cooler, M22 ports	604.63	691.00
50-607-7612	Setrab series 6, 7 row oil cooler, M22 ports	135.63	155.00
50-610-7612	Setrab series 6, 10 row oil cooler, M22 ports	149.63	171.00
50-613-4064	Setrab series 6, 13 row oil cooler, AN16 ports	183.31	209.50
50-613-7612	Setrab series 6, 13 row oil cooler, M22 ports	166.69	190.50
50-616-4064	Setrab series 6, 16 row oil cooler, AN16 ports	203.88	233.00

sūsa 2020 Racer Pricing List

Effective February 1, 2020

PART NUMBER	DESCRIPTION	Racer	MSRP
50-616-7612	Setrab series 6, 16 row oil cooler, M22 ports	186.38	213.00
50-619-4064	Setrab series 6, 19 row oil cooler, AN16 ports	217.00	248.00
50-619-7612	Setrab series 6, 19 row oil cooler, M22 ports	199.50	228.00
50-625-4064	Setrab series 6, 25 row oil cooler, AN16 ports	258.13	295.00
50-625-7612	Setrab series 6, 25 row oil cooler, M22 ports	240.63	275.00
50-634-4064	Setrab series 6, 34 row oil cooler, AN16 ports	368.38	421.00
50-634-7612	Setrab series 6, 34 row oil cooler, M22 ports	350.88	401.00
50-640-4064	Setrab series 6, 40 row oil cooler, AN16 ports	432.25	494.00
50-640-7612	Setrab series 6, 40 row oil cooler, M22 ports	414.75	474.00
50-650-4064	Setrab series 6, 50 row oil cooler, AN16 ports	523.69	598.50
50-650-7612	Setrab series 6, 50 row oil cooler, M22 ports	506.19	578.50
50-660-4064	Setrab series 6, 60 row oil cooler, AN16 ports	623.88	713.00
50-660-7612	Setrab series 6, 60 row oil cooler, M22 ports	606.38	693.00
50-910-7612	Setrab series 9, 10 row oil cooler, M22 ports	161.88	185.00
50-915-7612	Setrab series 9, 15 row oil cooler, M22 ports	196.88	225.00
50-920-7612	Setrab series 9, 20 row oil cooler, M22 ports	235.38	269.00
50-925-7612	Setrab series 9, 25 row oil cooler, M22 ports	304.94	348.50
50-934-7612	Setrab series 9, 34 row oil cooler, M22 ports	407.75	466.00
50-948-7612	Setrab series 9, 48 row oil cooler, M22 ports	595.88	681.00
ProLine Specialty Oil Coolers			
51-07943	172M22I-D / Setrab series 1, 72 row diagonal flow, M22 ports	595.88	681.00
51-07944	619M22I-2P / Setrab series 6, 19 row, two-pass, M22 ports	199.50	228.00
51-07945-01	920M22I-2P / Setrab series 9, 20 row, two-pass, M22 ports	235.38	269.00
51-07990	650M22I-3P / Setrab series 6, 50 row, three-pass, M22 ports	506.19	578.50
51-09401-01	272M22I-D / Setrab series 2, 72 row diagonal flow, M22 ports	698.25	798.00
51-09904-01	613M22I-2P / Setrab series 6, 13 row two-pass, M22 ports	166.69	190.50
51-11654-03	980M22I-4P / Setrab series 9, 80 row, four-pass, M22 ports	797.13	911.00
52-12864-01	COM-F 528, 15 rows, M22 ports	662.38	757.00
52-12965-01	COM-F 528, 15 rows, two-pass, M22 ports	662.38	757.00
52-12968-01	COM-V 586, 5-rows, two-pass, M22 ports	448.00	512.00
52-13141-01	COM-F 464, 12 rows, two-pass, M22 ports	476.00	544.00
ProLine SLM Oil Coolers			
53-10740-01	141SLM-6M22I / Setrab SLM 141mm hdr-to-hdr, 6 row, M22 ports	238.00	272.00
53-10741-01	141SLM-10M22I / Setrab SLM 141mm hdr-to-hdr, 10 row, M22 ports	258.13	295.00
53-10742-01	141SLM-14M22I / Setrab SLM 141mm hdr-to-hdr, 14 row, M22 ports	282.63	323.00
53-10743-01	250SLM-6M22I / Setrab SLM 250mm hdr-to-hdr, 6 row, M22 ports	258.13	295.00
53-10744-01	250SLM-10M22I / Setrab SLM 250mm hdr-to-hdr, 10 row, M22 ports	282.63	323.00
53-10745-01	250SLM-14M22I / Setrab SLM 250mm hdr-to-hdr, 14 row, M22 ports	313.25	358.00
53-10746-01	420SLM-6M22I / Setrab SLM 420mm hdr-to-hdr, 6 row, M22 ports	292.25	334.00
53-10747-01	420SLM-10M22I / Setrab SLM 420mm hdr-to-hdr, 10 row, M22 ports	313.25	358.00
53-10748-01	420SLM-14M22I / Setrab SLM 420mm hdr-to-hdr, 14 row, M22 ports	348.25	398.00
53-10749-01	592SLM-6M22I / Setrab SLM 592mm hdr-to-hdr, 6 row, M22 ports	322.00	368.00
53-10750-01	592SLM-10M22I / Setrab SLM 592mm hdr-to-hdr, 10 row, M22 ports	374.50	428.00
53-10751-01	592-SLM-14M22I / Setrab SLM 592mm hdr-to-hdr, 14 row, M22 ports	423.50	484.00
Fans			
FAN30100452	9.0" low profile fan for 634 fanpacks	80.50	92.00
FAN30101522	12.0" medium profile fan for 948 & 980 fanpacks	134.75	154.00
FAN30103011	5.2" low profile fan for 119 & 920 fanpacks	62.78	71.75
FAN30103013	5.2" low profile fan for 119 & 920 fanpacks, pusher	62.78	71.75
FAN30103018	4.0" low profile fan for 113 fanpack	62.78	71.75
FAN30103084	6.5" low profile fan for 625 & 650 fanpacks	80.50	92.00
Fan-Assisted Oil Coolers & Packs			
FP113 Kit	sūsa fan kit, shroud and fan for 113 coolers	123.81	141.50
FP113M22I	Setrab series 1, 13 row with 12 volt fan	268.63	307.00
FP119 Kit	sūsa fan kit, shroud and fan for 1-series 19-72 row coolers	123.81	141.50
FP119M22I	Setrab series 1, 19 row with 12 volt fan	284.38	325.00
FP160M22I	Setrab series 1, 60 row with X3 12 volt fans	706.13	807.00
FP625 Kit	sūsa fan kit, shroud and fan for 625/650 coolers	178.94	204.50
FP625M22I	Setrab series 6, 25 row with 12 volt fan	420.00	480.00
FP634 Kit	sūsa fan kit, shroud and fan for 634 coolers	210.88	241.00
FP634M22I	Setrab series 6, 34 row with 12 volt fan	554.75	634.00
FP650M22I	Setrab series 6, 50 row with dual 12 volt fans	710.50	812.00
FP910M22IX2	Setrab series 9, 10 row X2 combi with 12 volt fans	511.00	584.00
FP920 Kit	sūsa fan kit, shroud and fans for 920 coolers	238.88	273.00
FP920M22I	Setrab series 9, 20 row with dual 12 volt fans	463.75	530.00
FP920M22I-2P	Setrab series 9, 20 row 2-pass cooler dual fans	463.75	530.00
FP948 Kit	sūsa fan kit, shroud and fan for 948 coolers	245.00	280.00
FP948M22I	Setrab Series 9, 48 row with 12 volt fan	831.25	950.00
FP980 Kit	sūsa fan kit, shroud and fan for 980 coolers	583.63	667.00
FP980M22I-4P	Setrab series 9, 80 row, four-pass, dual 12v fans	1323.00	1512.00

New items shown in magenta